

MOLDED FIBER GLASS TRAY COMPANY

The material matters in material handling

Product Review: MFG Tray Drying Tray Durability



Customer: Manufacturer of nutraceutical, dietary supplements and over-the-counter (OTC) drug products.

In 1994, the pharmaceutical company purchased soft gel drying trays and dollies from MFG Tray. In 2018, MFG Tray was contacted by the same pharmaceutical company for additional trays due to their expansion.

Longevity: For over 25 years, the pharmaceutical company has been using MFG Tray model 642008 soft gel drying trays and dollies in their curing process. Due to their expanding business, they have reached out to MFG Tray for additional trays to increase to the current line of trays used. Fiberglass reinforced composite material is long-lasting, durable, high-weight capacity and is much stronger than thermos-plastics which is why the company has had their trays in production for 25+ years. MFG trays and containers are known to stand the test of time due to the composite material being impervious to cutting oils, detergents, mild acids and alkaline solutions and the ability to handle operating temperatures ranging from -60° to 250°F.



Benefit Summary:

- ✓ Designed for drying and curing of soft gels and capsules
- ✓ Drop ends and/or sides for quicker drying
- ✓ Conforms to FDA Regulation Title 21 CFR 177.2420
- ✓ Interlock stacking increases drying room efficiency
- ✓ Temperature range continuous -60° to 250° F (-51° to 121° C)
- ✓ Easy integration with process equipment
- ✓ Won't bend, dent or deflect under heavy loads
- ✓ Smooth, non-porous surface is easy to clean
- ✓ Heavy-duty dolly available



MOLDED FIBER GLASS TRAY COMPANY | 800-458-6050



MOLDED FIBER GLASS TRAY COMPANY
6175 US HIGHWAY 6
LINESVILLE, PA 16424
800-458-6050




From: [REDACTED]
Sent: Tuesday, August 28, 2018 1:01 PM
To: Cicero Anthony
Subject: Molded Fiber Glass Tray Company

Good Afternoon Anthony,

Attached are pictures of the trays we currently have in production. Our records show that we last bought in November 1994. We are expanding our facility and are in need of additional trays. If you could please send a quote with lead time for an additional [REDACTED] trays ASAP, we would appreciate it.

Please let me know if you may need any additional information.



Thank you,

David [REDACTED]
[REDACTED]
[REDACTED]

